© LAB ENGINEERING

 $\label{lem:eq:entropy} Email: \\ purchase @elabengineering equipments.com$

Phone: +91-9811375383

Product Name:

Shimoga Model Heavy Duty Lathe Machine

Product Code: Im0004



Technical Specification:

Shimoga Model Heavy Duty Lathe Machine.

Size 1500 mm 2075 mm

5' 7

Height of centre over flat bed 235 mm 250

ways 9.1/4" mm10"

Max. Swing over bed 455 mm 455

18" mm 18"

Max. Swing over cross slide 290 mm 290

11.1/2" mm 11.1/2"

Max. Swing in gap 775 mm 775

30.1/2" mm 30.1/2"

Length of gap in bed ----- 305

mm 12"

Length of gap in front of face 200 mm 200

plate	8"	mm 8"
Width of bed	324 mm	324
	12.3/4"	mm 12.3/4"
Admit between centres	500 mm 20"	065 mm 3' 2"
Size of threaded spindle		2.15/16" dia
nose		x 6 tpl
Diameter of whole through	54 mm	54 mm
spindle	2.1/8"	2.1/8"
Power of AC motor 3 phase 440 V.	1.5 kw. 2 HP	1.5 kw. 2 HP
Speed of motor (50 cycles)	1440 rpm	rpm
Number of spindle speeds		8 (31.3 to
and range		59.5 rpm)
Number of feeds		19
Taper of centre in head and		Morse
IS.		No. 4
Feed range mm/spindle		
revol.		40.0
Longitudinal		16-2 mm (.006"-078")
Traverse		04-43mm
		(.0016"
		0188")
Lead screw diameter and		38.1 mm
pitch		(1.1/2")
No. of metric threads and		x 4 tpi
range		13 (1 to 6 mm
3-		pitch)
No. of inch threads and		19 (2 to
range		24 tpi)

2/3

© LAB ENGINEERING

Elab Engineering Equipments Manufacturers