

Product Name :
Bench Vice

Product Code :
LABMT-0005

LAB ENGINEERING

Description :

Bench Vice

Technical Specification :

Bench Vice.

Bench Vice.

SPECIFICATIONS						
Code	Max. Clamping	Max. Jaw Opening	Width of Jaw	Depth Jaw 'E'	Vice without Swivel base	Swivel Base only

	Force (Approx. PSI)	'A' mm	'J' mm	mm	Base B x H mm	Height 'F' mm	Weight (approx.) Kg	Base C x D mm	Height G' mm	Weight Approx. Kg
772	600	200	154	56	435x21 0	143	46	255x295	41	12

Wood Worker's Vices

Size in inches	6	7	8	9	10	12
Width of Jaws in mm	150	180	205	230	250	300
Opening of Jaws in mm						
mm 737 & 737 QR	180	230	260	330	-	-
Opening of Jaws 758 in mm	125	150	175	200	225	275
Weight Approx. Kgs.						
737	5.0	8.6 0	10.8 0	15.0 0	-	-
737 QR	5.5 0	9.0 0	11.3 0	15.8 0	-	-
738	-	9.0 0	10.8 0	17.7 0	-	-
738 QR	-	9.5 0	11.2 0	18.2 0	-	-
758	2.5	3.2	5.5	7	8.5	9

Precision Tool Maker's Bench Vice

NO.	00	0	1	2	3	4	5	6	8	10	12
SIZE	21/4"	21/2"	3"	31/2"	4"	41/2"	5"	6"	8"	10"	12"
WIDTH OF JAWS (IN MM)	60	65	80	90	100	115	125	150	200	250	300
OPENING OF JAWS (IN MM)	60	65	85	100	120	140	170	200	235	300	365
DEPTH OF JAWS (IN MM)	45	50	55	60	70	75	85	90	110	120	140

WEIGHT (APPROX. IN KGS)

3

4

6

9

13

15

20

25

42

72

80

Heavy Duty Drill Vice

SPECIFICATIONS

Size in inches	3	4	6
Width of Jaws in mm	80	100	150
Opening of Jaws in mm	80	115	160
Depth of Jaws in mm	45	60	70
Height overall in mm	75	90	110
Length overall in mm	240	315	360
Width overall in mm	145	185	245
Weight (Approx.) in Kgs.	4.5	8.5	15.0





© LAB ENGINEERING

Elab Engineering Equipments Manufacturers