

**Product Name :**  
Haematocrite Centrifuge 13000 r.p.m. (Microprocessor Based)

**Product Code :**  
CENTRIFUGES0020



## Description :

Haematocrite Centrifuge 13000 r.p.m. (Microprocessor Based)

## Technical Specification :

- Haematocrite Centrifuge Machine, Max. speed 13000 r.p.m.
- Compact body which is made of plastic injection moulded.
- Inner safety bowl made of stainless steel.
- Fitted with well balance universal motor having long life with
- Improved features.
- Digital display shows Set time/ Run time. R.P.M.
- Microprocessor based Digital timer of range 0-15 min with LCD display.

- Phase speed controls this microprocessor from 2000 to 15000 r.p.m.

Supply completed with following accessories:

- Micro Hemocrite rotor to accommodate 24 capillaries of 75mm x 1mm or 12 capillaries.

- Repaired capillary tubes 75mm long x 1mm bore (Pack of 100 Nos.)

- Non-Repaired capillary tubes 75mm long x 1mm bore (Pack of 100 Nos.)

- Handing device

- Sealing area: 10mg

- Hemocrite Cartridge (Disposable) Model: T-120.

- All specifications are same as above but in this model the rotor is Disposable (without carter)

- Note: Speed can also increased upto 16000 r.p.m. on the demand of customer

Dimension of Machine: L=200mm, W=270mm, H=240mm

Weight of Machine: 8.5kg approx.

Dimension of Box: L=350mm x W=355 x H=340mm

Weight of Box: 11kg approx.

# LAB ENGINEERING

## Elab Engineering Equipments Manufacturers