© LAB ENGINEERING

Email:

purchase@elabengineeringequipments.com Phone: +91-9811375383

Product Name : MUFFLE FURNACE

Product Code: SCIENTIFIC0018



Description : MUFFLE FURNACE

MUFFLE FURNACE	
Technical Specification :	
Motive brance are suitable for high temperature gate 200°C to fulfill the detected of resourch institution, industries & BLD continue.	
Constructions: The saler costing is made of their stiff model finded with equivalent point passed properly costed point. Noting determine are made of high temperature border also according to the leasing clarifies, resource for most order point. Note when their warred plag to work or 202020 colds AC are also provided.	In healing advances against divingage and deminical debetorations. Ng/Ay officient light weight and standards in coord permanently this factorated by A. M. Lencous are equipped with a depended in indicator promote having a 1.5° sold collected of 20°C increases in 120°C with chrosel domed demonstration. The
Trappendure: The furnises can be operated contributedly upon SIPC interpretative contributed by reported fusive energy regulator filted in force on the furnises with law indicating lights	
Martin dates 10th 550-0250-en string p 1 6 607 Martin dates 10th 650-0250-en string p 2 600	
806 das 1003000000 ning 11 01	
Milk trace problet with Egist temperature contains can industry in literal projection.	
Diffe seas 100-000-000 maley 1 4 5 00 Diffe seas 100-000-000 maley 1 5 00	
Mile was 10.0 00.000 may 3.1 or	
Mills bridge product with 300 goals Mainteen Seat Chair body with digital sergendant controller carb follower	
Mills axes 100.050000 moting 1 6 60' Adds axes 100.050000 moting 2 600'	

ľ	in usus 200000000mm mings 3.5 file	-
		-
	opproasser Tassel PD Inequative controller can indicator in las of energy regulator & pyrometer as exist cost.	-

© LAB ENGINEERING

Elab Engineering Equipments Manufacturers