

Product Name :
ELECTRO-HYDRAULIC TRAINER KIT**Product Code :**
IDUS0001**Description :**

ELECTRO-HYDRAULIC TRAINER KIT

Technical Specification :

Electro Hydraulic Circuit Trainer outlines the basic Principle of Hydraulic Control System, Hydraulic Control System Components & its applications using electronic proximity position sensor & electro-mechanical actuators (solenoid valves).

TECHNICAL SPECIFICATION

- Relay Module: - 4 Relays, 24V DC supply, 2 NO/NC contacts, panel mounting type.
- Single Acting Cylinder: - Bore: 40 mm, Stroke: 75mm/100mm, Mounting: Foot.
- Double Acting Cylinder: - Bore: 40 mm, Stroke: 75mm/100mm, Mounting: Foot
- Solenoid Valve: - 2 Nos, 4/3 way, ¼", 230VAC & 4/2 way, ¼", 230 VAC.
- Meter-in Circuit & Meter Out Circuit
- Bleed-off Circuit
- Pulley Arrangement to carry load applied to the actuator, i.e., Double Acting Cylinder (Optional)
- Pressure Relief Valve:- ¼", 60 Kg/cm²
- Flow Control Valve: - ¼" (F), Square Body.
- Block Manifold: - ¼", 4 ways.
- Male Connector: - ¼" Quick Release Couplings
- Indicator: 24 VDC Operated.
- Proximity Sensors: - 4 nos. Type: Inductive 2 wires, Diameter: 18 mm, Sensing Distance: 5 mm.
- Pressure Gauge: - 100 Kg/cm², Dial Size: 100 mm.
- Hydraulic Motor (Optional) 3 LPM, Flange mounting type.

-
- Hydraulic Accumulator (Optional) Capacity : 0.075 Ltrs, mWP bar: 250 bar
 - Weight: 0.62 Kg, Connection: 1/2" BSP
 - Pressure sequence valve (optional):- 1/4" (F), Square Body, 60kg/cm².
 - Oil Hydraulic power pack: - MS Powder Coated Oil Tank, Capacity: 25 Litters.
with Oil Level Indicator, Gear Pump: 3-5 LPM, 40-70 Bar, Breather, Oil filter & suction,
Electric Motor: Single Phase, 1/2 HP/ 1HP, 230VAC / 3 Phase, 1/2 HP/ 1 HP, 415V AC
with DOL starter.
 - Hydraulic Hoses: - 10nos.
 - Transverse & Feed Circuit (Optional)

FEATURES

- Compact Ergonomic Design.
- User Friendly, Self Explanatory Systems.
- Leak proof Safety Measures, sturdy piping & Robust Construction.
- Training Manuals mimic Charts for Operation Ease.
- System Frame with Caster Wheel Arrangement for ease in movement.
- M.S. powder coated cubical plant with standard Instrument Mountings.
- Inbuilt Safety Measures to avoid improper usage.

SYSTEM SPECIFICATIONS

- Wall mounting assemblies of hydraulic actuator & self-reciprocating cylinder.
- Single acting cylinder (bore diameter: 40mm, stroke length: 75/ 100mm)
- Double acting cylinder (bore diameter: 40mm, stroke length: 75/ 100mm)
- Hydraulic motor (optional), Solenoid Valves (electro-hydraulic), Limit Switches.
- Proximity type sensors (electro-hydraulic),
- QRC Couplings provided Tubing /hose pipes for circulation of pressure.
- Manifold for distribution.
- Oil Hydraulic power pack for power supply.
- Optional components are available to allow fault operation and diagnosis training.

RANGE OF EXPERIMENTS

- Study of pressure control.
- Study of direction control.
- Study of fundamental principles of Hydraulics & its applications.
- Study of Meter-in circuit, Meter-out circuit and Bleed-off circuit.
- Study of flow control.
- Study of hydraulic valves.
- Study of cylinder control.
- Study of power pack control characteristics.
- Study of hydraulic Motor (optional).
- Study of Hydraulic Accumulator (optional).
- Study of sequencing of two cylinders using sequence valve (optional).
- Study of electro-hydraulic control.
- Study of sequencing operation of two cylinders using electro-hydraulic components

We are well-known manufacturers, OEM suppliers of ELECTRO-HYDRAULIC TRAINER KIT for Industrial Electronics Lab Equipments. Contact us for high quality ELECTRO-HYDRAULIC TRAINER KIT for Industrial Electronics Lab Equipments for schools lab, college lab, universities, research labs, various teaching and workshop training laboratories and industries in India.

LAB ENGINEERING

Elab Engineering Equipments Manufacturers