

Product Name :
Static and Dynamic Balancing Apparatus**Product Code :**
Dynamics0015**Description :**

Static and Dynamic Balancing Apparatus

Technical Specification :

The experimental unit can be used to demonstrate imbalance and the balancing process clearly. The difference between static and a dynamic imbalance can be shown. Imbalance is determined and balanced by appropriate measures. The main element of the experimental unit is a smooth shaft to which four variable imbalance masses are attached at any angular and longitudinal position. The shaft is mounted on ball bearings. A variable-speed electric motor and a belt drive it. The speed of the shaft is displayed digitally. In order to determine the imbalance, a defined external moment is applied via an additional pulley with weights. A transparent cover protects against contact with rotating parts and allows a clear view of the shaft. Unwanted vibrations are suppressed by using elastic bearing for the foundation. This moment is compared to the moment of the imbalance masses.

FEATURES:

- Comparison of static, dynamic or general imbalance
- Determine an imbalance
- Demonstration of imbalance vibrations at different speeds
- Perform a balancing operation
- Representation of the fundamental processes involved in balancing

SPECIFICATION:

Number of imbalance masses: 4

Total imbalance: 880cmg

Measuring ranges :

Speed: 0...1400min-1

Required for operation :

230V, 50Hz, 1 phase

230V, 60Hz, 1 phase; 120V, 60Hz, 1 phase

 **LAB ENGINEERING**

Elab Engineering Equipments Manufacturers